





Areas of application

- Home
- Hotels and Catering centers
- Supermarkets and malls
- Office and Residential Buildings
- Factory, plant, warehouse

Product benefits

- High quality aluminum housing
- Luminaire designed for easy maintenance
- Professional optics with wide beam angle of 220°
- Low maintenance and operation costs due to long lifetime of LED
- Good color consistency
- Good color rendering

Product features

- Power factor: > 0.5

- Type of protection: IP20

- Lifetime(L70): up to 15,000 Hrs

- Color rendering index Ra: > 80




TECHNICAL DATA

Electrical data

Nominal wattage	1 W
Nominal voltage	220-240 V
Power factor λ	0.5

Photometrical data

Luminous flux	20 lm
Luminous efficacy	18 lm/W
Color temperature	ORANGE-BLUE-GREEN-RED-YELLOW
Color rendering index Ra	80



Dimensions & Weight

Product weight	12g
Base	E27
Dimension	70*45mm

Materials & Colors

Product color	ORANGE-BLUE-GREEN-RED-YELLOW
Housing color	ORANGE-BLUE-GREEN-RED-YELLOW
Body material	PP

Application & Mounting

Ambient temperature range	-30+50 °C
Type of protection	IP20

Dimmable	No
Mounting location	Pendant
Application environment	Indoor

Lifespan

Lifespan 15000 hrs

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.