

PRODUCT DATASHEET

Emergency Bulb 10W LOOX



Areas of application

- Home
- Hotels and Catering centers
- Supermarkets and malls
- Office and Residential Buildings
- Factory, plant, warehouse

Product benefits

- Energy savings with high system efficacy: up to 95 lm/W
- High quality aluminum housing
- Luminaire designed for easy maintenance
- Professional optics with wide beam angle of 140°
- Low maintenance and operation costs due to long lifetime of LED
- Good color consistency
- Good color rendering

Product features

- Power factor: > 0.5
- Type of protection: IP20
- Lifetime(L70): up to 25,000 Hrs
- Color rendering index R_a : > 75




TECHNICAL DATA

Electrical data

Nominal wattage	10 W
Nominal voltage	100-260 V
Power factor λ	0.5


Photometrical data

Luminous flux	810 lm
Luminous efficacy	95 lm/W
Color temperature	2700 K - 6500 K
Color rendering index Ra	75



Dimensions & Weight

Product weight	113.5g
Base	E27
Dimension	132*70mm



Materials & Colors

Product color	White
Housing color	White
Body material	PP

Application & Mounting

Ambient temperature range	-30...+50 °C
Type of protection	IP20

Dimmable	No
Mounting location	Pendant
Application environment	Indoor

Lifespan

Lifespan L70/B50 at 25 °C	25000 hrs
Waranty	3years



DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.