

# PRODUCT DATASHEET

## LED T8 GLASS TUBE LIGHT

### 30W LUMINATION

LOOX T8 GLASS TUBE LED | LED Indoor luminaires



#### Areas of application

- General illumination
- Hotels Office
- Commercial spaces
- Hospitals
- Corridors
- Exhibition halls

---

#### Product benefits

- Energy savings up to 60 % (compared to luminaires that use CFL lamps)
- High luminous efficacy
- 180 degrees rotate G13 end cap which can be adjustable in any angle
- Easy installation with fast connection
- Functional design
- Very homogenous light

---

#### Product features

- Type of protection: IP20
- Power factor: PF>0.5
- Warranty : 2 Years
- Beam angle : 270°




## TECHNICAL DATA

### Electrical data

|                        |            |
|------------------------|------------|
| Nominal wattage        | 30.00 W    |
| Nominal voltage        | AC220-240V |
| Mains frequency        | 50...60 Hz |
| Power factor $\lambda$ | 0.5        |

### Photometrical data

|                          |         |
|--------------------------|---------|
| Luminous flux            | 2500 lm |
| Color temperature        | 6500K   |
| Color rendering index Ra | >80     |



### Dimensions & Weight

|                |                |
|----------------|----------------|
| Product weight | 110g           |
| Dimension      | 1200 mm(4Feet) |

### Materials & Colors

|               |            |
|---------------|------------|
| Product color | Gold-White |
| Housing color | Gold-White |
| Body material | Glass      |

### Application & Mounting

|                           |              |
|---------------------------|--------------|
| Ambient temperature range | -30...+50 °C |
| Type of protection        | IP20         |

|                         |                    |
|-------------------------|--------------------|
| Dimmable                | No                 |
| Mounting location       | Fittings, Housings |
| Application environment | Indoor             |

## Lifespan

|          |         |
|----------|---------|
| Lifespan | 15000 h |
| Warranty | 2 Years |

---

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.