

PRODUCT DATASHEET

SLIM SURFACE HANGING MAGNETIC TRACK LIGHT 9W Loox

LOOX MAGNETIC TRACK LIGHT LED | LED Indoor luminaires



Areas of application

- General illumination
- Hotels Office
- Commercial spaces
- Residence
- Exhibition halls

Product benefits

- Energy savings up to 60 % (compared to luminaires that use CFL lamps)
- High luminous efficacy
- Can be Control light via Bluetooth(optional)
- Dali dimmable(optional)
- Easy installation with fast connection
- Functional design
- Very homogenous light
- Can be fixed in any design(Both wall and ceiling)

Product features

- Type of protection: IP20
- Warranty : 5 Years
- Beam angle : 110°



TECHNICAL DATA

Electrical data

| | |
|-----------------|------------|
| Nominal wattage | 9.00 W |
| Nominal voltage | 48V |
| Mains frequency | 50...60 Hz |

Photometrical data

| | |
|--------------------------|-------------------|
| Color temperature | 2700K-4000K-6500K |
| Color rendering index Ra | >80 |

Dimensions

| | |
|-----------|-------------|
| Dimension | 125.5*85 mm |
|-----------|-------------|

Materials & Colors

| | |
|---------------|-----------|
| Product color | Black |
| Housing color | Black |
| Body material | Aluminium |

Application & Mounting

| | |
|---------------------------|--------------|
| Ambient temperature range | -30...+50 °C |
| Type of protection | IP20 |

| | |
|-------------------------|----------------|
| Dimmable | Optional |
| Mounting location | Magnetic Track |
| Application environment | Indoor |

Lifespan

| | |
|----------|---------|
| Lifespan | 50000 h |
| Warranty | 5 Years |

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.