

# PRODUCT DATASHEET

## SURFACE LINEAR LIGHT

### 60W LOOX (Rain series)

LOOX LINEARLIGHT LED | LED Indoor luminaires



#### Areas of application

- General illumination
- Home Office
- Commercial spaces
- Work shops
- Indoor parking lots
- Super market
- Warehouse

---

#### Product benefits

- Energy savings up to 60 % (compared to luminaires that use CFL lamps)
- High luminous efficacy
- Strong structure
- Easy installation with fast connection
- Functional design
- Very homogenous light

---

#### Product features

- Type of protection: IP65
- Power factor: PF>0.5
- Warranty : 3 Years




## TECHNICAL DATA

### Electrical data

Nominal wattage	60.00 W
Nominal voltage	AC110-250V
Mains frequency	50...60 Hz
Power factor $\lambda$	0.5

### Photometrical data

Luminous flux	6600 lm
Color temperature	4000K-6500K
Color rendering index Ra	>80



### Dimensions & Weight

Product weight	610g
Dimension	1180*73*51mm

### Materials & Colors

Product color	White
Housing color	White
Body material	Poly carbonate

### Application & Mounting

Ambient temperature range	-30...+50 °C
Type of protection	IP65

Dimmable	No
Mounting location	Surface
Application environment	Indoor

## Lifespan

Lifespan	50000 h
Warranty	3 Years

---

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.