

PRODUCT DATASHEET

SURFACE LINEAR LIGHT

20W LOOX (Aylin)

LOOX LINEARLIGHT LED | LED Indoor luminaires



Areas of application

- General illumination
- Home Office
- Commercial spaces
- Meeting rooms
- Corridors

Product benefits

- Energy savings up to 60 % (compared to luminaires that use CFL lamps)
- High luminous efficacy
- Strong structure
- Easy installation with fast connection
- Functional design
- Very homogenous light

Product features

- Type of protection: IP20
- Power factor: PF>0.5
- Warranty : 3 Years




TECHNICAL DATA

Electrical data

Nominal wattage	20.00 W
Nominal voltage	AC110-250V
Mains frequency	50...60 Hz
Power factor λ	0.5

Photometrical data

Luminous flux	1750 lm
Color temperature	2700K-6500K
Color rendering index Ra	>80



Dimensions & Weight

Product weight	159g
Dimension	295*58*50mm

Materials & Colors

Product color	White
Housing color	White
Body material	Metal

Application & Mounting

Ambient temperature range	-30...+50 °C
Type of protection	IP20

Dimmable	No
Mounting location	Surface
Application environment	Indoor

Lifespan

Lifespan	30000 h
Warranty	3Years

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.