

# PRODUCT DATASHEET

## LINEAR T5 15W OMiLEX

LOOX T5 GLASS TUBE LED | LED Indoor luminaires



### Areas of application

- General illumination
- Hotels Office
- Commercial spaces
- Hospitals
- Corridors
- Exhibition halls

---

### Product benefits

- Energy savings up to 60 % (compared to luminaires that use CFL lamps)
- High luminous efficacy
- 180 degrees rotate G13 end cap which can be adjustable in any angle
- Easy installation with fast connection
- Functional design
- Very homogenous light

---

### Product features

- Type of protection: IP20
- Power factor: PF>0.5
- Warranty :1Year
- Beam angle : 120°




TECHNICAL DATA

Electrical data

Nominal wattage	15 W
Nominal voltage	AC165-265V
Mains frequency	50...60 Hz
Power factor $\lambda$	0.5

Photometrical data

Luminous flux	585lm
Color temperature	2700K-6500K
Color rendering index Ra	>80



Dimensions & Weight

Product weight	105g
Dimension	590*32mm

Materials & Colors

Product color	White
Housing color	White
Body material	Glass


Application & Mounting

Ambient temperature range	-30...+50 °C
Type of protection	IP20

Dimmable	No
Mounting location	Fittings, Housings
Application environment	Indoor

Lifespan

Lifespan	25000 h
Warranty	1 Year



DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.