

PRODUCT DATASHEET

STAIRCASE LIGHT 2W

LOOX STAIRCASE LIGHT LED | LED outdoor luminaires



Areas of application

- Residence
- Staircase
- Ramp light
- Car parking
- Façade lighting

Product benefits

- Energy savings of up to 90 % compared to halogen lamp
- Luminaire designed for easy maintenance
- Highly efficient SMD LED chip and high IP rating on luminaire
- Optimized weight and size due to compact design
- Very homogenous light

Product features

- Power factor: > 0.5
- Type of protection: IP66
- Color rendering index R_a : > 70
- Beam angle 60



TECHNICAL DATA

Electrical data

Nominal wattage	2 W
Nominal voltage	85...265 V
Mains frequency	50...60 Hz
Power factor λ	0.5

Photometrical data

Luminous flux	3600 lm
Color temperature	2700k
Color rendering index Ra	70

Dimensions & Weight

Product weight	
Dimension	95*95*35mm

Materials & Colors

Product color	Black/white
Housing color	Gray
Body material	Metal

Application & Mounting

Ambient temperature range	-30...+50 °C
Type of protection	IP66
Dimmable	No
Mounting location	Wall
Application environment	Indoor

Lifespan

Lifespan	30000 h
Warranty	3 years

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.