




LUMINATION

# PRODUCT DATASHEET HIGHBAY LIGHT 100 W

LOOX HIGHBAY LED | LED outdoor luminaires



## Areas of application

- Factories
- Showrooms
- High rise buildings
- Garages

---

## Product benefits

- Energy savings of up to 90 % compared to halogen lamp floodlights
- aluminum housing
- Luminaire designed for easy maintenance

---

## Product features

- Power factor: > 0.5
- Type of protection: IP20
- Color rendering index  $R_a$ : > 80
- Beam angle 120°




## TECHNICAL DATA

### Electrical data

Nominal wattage	100.00 W
Nominal voltage	220...240 V
Mains frequency	50...60 Hz
Power factor $\lambda$	0.5

### Photometrical data

Luminous flux	9500 lm
Color temperature	6500 K
Color rendering index Ra	80



### Dimensions & Weight

Dimension	275*420mm
-----------	-----------

### Materials & Colors

Product color	gray
---------------	------

## Application & Mounting

Ambient temperature range	-30...+50 °C
Type of protection	IP20
Dimmable	No
Mounting location	Ceiling
Application environment	Indoor-outdoor

## Lifespan

Lifespan	25000 h
Warranty	2 years

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.