

PRODUCT DATASHEET wall light 10w Lumination



Areas of application

- Residential
- commercial
- Hotels
- Shop
- Cafe

Product benefits

- Energy savings with high system efficacy: up to 90 lm/W
- High quality aluminum housing
- Luminaire designed for easy maintenance
- Professional optics with wide beam angle of 120 $^{\circ}$
- Low maintenance and operation costs due to long lifetime of LED
- Good color consistency
- Good color rendering

Product features

- Power factor: > 0.5

- Type of protection: IP65

- Lifetime(L70): up to 30,000 Hrs

- Color rendering index R_a: >70



TECHNICAL DATA

Electrical data

| Nominal wattage | 10w |
|-----------------|----------|
| Nominal voltage | 85-265 V |
| Power factor λ | 0.5 |

Photometrical data

| Luminous flux | 90 lm |
|--------------------------|---------|
| Luminous efficacy | 90 lm/W |
| Color temperature | 2700 K |
| Color rendering index Ra | 70 |

Dimensions

Materials & Colors

| Product color | Black |
|---------------|----------------|
| Body material | poly carbonate |

Application & Mounting

| Ambient temperature range | -30+50 °C |
|---------------------------|-----------|
| Type of protection | IP65 |

| Dimmable | No |
|-------------------------|----------------|
| Mounting location | Pendant |
| Application environment | Indoor-outdoor |

Lifespan

| Lifespan | 30000 hrs |
|----------|-----------|
| waranty | 2years |

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.