

# PRODUCT DATASHEET

# wall light 2\*5w Lumination



#### Areas of application

- Residential
- commercial
- Hotels
- Shop
- Cafe

#### Product benefits

- Energy savings with high system efficacy: up to 90 lm/W
- High quality aluminum housing
- Luminaire designed for easy maintenance
- Professional optics with wide beam angle of 120°
- Low maintenance and operation costs due to long lifetime of LED
- Good color consistency
- Good color rendering

#### **Product features**

- Power factor: > 0.5

- Type of protection: IP65

- Lifetime(L70): up to 30,000 Hrs

- Color rendering index  $R_a$ : >80



#### TECHNICAL DATA

#### Electrical data

| Nominal wattage | 2*5w     |
|-----------------|----------|
| Nominal voltage | 85-265 V |
| Power factor λ  | 0.5      |

#### Photometrical data

| Luminous efficacy        | 90 lm/W |
|--------------------------|---------|
| Color temperature        | 2700 K  |
| Color rendering index Ra | 80      |

#### Dimensions

#### Materials & Colors

| Product color | Black-white    |
|---------------|----------------|
| Body material | poly carbonate |

### Application & Mounting

| Ambient temperature range | -30+50 °C |
|---------------------------|-----------|
| Type of protection        | IP65      |

| Dimmable                | No             |
|-------------------------|----------------|
| Mounting location       | Pendant        |
| Application environment | Indoor-outdoor |

## Lifespan

| Lifespan | 30000 hrs |
|----------|-----------|
| waranty  | 2years    |

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.