



LUMINATION

# PRODUCT DATASHEET

## wall light 4W Lumination



### Areas of application

- Residential
- commercial
- Hotels
- Shop
- Cafe

---

### Product benefits


- Energy savings with high system efficacy: up to 95 lm/W
- High quality aluminum housing
- Luminaire designed for easy maintenance
- Professional optics with wide beam angle of 65°
- Low maintenance and operation costs due to long lifetime of LED
- Good color consistency
- Good color rendering

---

### Product features

- Power factor: > 0.5
- Type of protection: IP65
- Lifetime(L70): up to 30,000 Hrs
- Color rendering index  $R_a$ : > 80





TECHNICAL DATA

Electrical data

Nominal wattage	4W
Nominal voltage	220-240 V
Power factor $\lambda$	0.5

Photometrical data

Luminous flux	360 lm
Luminous efficacy	95 lm/W
Color temperature	2700 K
Color rendering index Ra	80

Dimensions

Dimension	110*55*35MM
-----------	-------------

Materials & Colors

Product color	Black-white
Body material	poly carbonate

Application & Mounting

Ambient temperature range	-30...+50 °C
Type of protection	IP65

Dimmable	No
Mounting location	Pendant
Application environment	Indoor

Lifespan

Lifespan	30000 hrs
waranty	2years

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.