



LUMINATION

# PRODUCT DATASHEET

## wall light 2\*3w Lumination



### Areas of application

- Residential
- commercial
- Hotels
- Shop
- Cafe

---

### Product benefits


- Energy savings with high system efficacy: up to 95 lm/W
- High quality aluminum housing
- Luminaire designed for easy maintenance
- Professional optics with wide beam angle of 120°
- Low maintenance and operation costs due to long lifetime of LED
- Good color consistency
- Good color rendering

---

### Product features

- Power factor: > 0.5
- Type of protection: IP65
- Lifetime(L70): up to 30,000 Hrs
- Color rendering index  $R_a$ : >80





TECHNICAL DATA

Electrical data

Nominal wattage	2*3w
Nominal voltage	85-265 V
Power factor λ	0.5

Photometrical data

Luminous flux	100lm
Luminous efficacy	95 lm/W
Color temperature	2700 K
Color rendering index Ra	80

Dimensions

Dimension	100*100MM
-----------	-----------

Materials & Colors

Product color	Black
Body material	poly carbonate

Application & Mounting

Ambient temperature range	-30...+50 °C
Type of protection	IP65

Dimmable	No
Mounting location	Pendant
Application environment	Indoor-outdoor

Lifespan

Lifespan	30000 hrs
waranty	2years

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.